

SKÝRINGAR

Almennt skýringarblað C50.000.
Plata, gallar og tróppur skulu vera vélsípað.

Álag á gólf

(ODW = Eigiðalag)
(LL = Notálag)


ODW: Jafndreift eigiðalag á gólf 1,5 kN/m²
LL: Jafndreift notálag á gólf 5,0 kN/m²

- 1 Niðurfall
- 2 Raflagnagöt
- 3 Lofttræstigöt
- 4 Frárennisslögn
- 5 Ídráttarrör
- 6 Jarðvatnsslögn
- 7 Kælisjávirlögn
- 8 Tenging hitaveitu sjá teikningu 11.M22.02 og teikningar af vélbúnaði Einnig fyrir frárennsli


- ☐ Rauf í plötu
- Rauf í vegg
- ⊗ Gat í plötu/vegg

EININGAR

Veggjum í varmadælurými hefur verið breytt í forsteyptar einingar. Sjá einingateikningar Einingasmöjunnar.



C	2017-09-05	VEGGJUM BREYTT EININGAR	SJ
B	2017-06-08	BREYTINGAR	SJ
A	2017-03-31	VERKTEIKNING	SJ
ÚT.	DAGS.	BREYTING	SAMP.



HANNAÐ: KPS RÝNI: HÁr SAMP.: SJ
VERKFAANG: 07257



Brekkustíg 36
260 Reykjanæsbær
Sími: 422 5200
Fax: 421 4727
hsveitur@hsveitur.is

HITAVEITA VESTMANNNAEYJUM
Varmadæla

Form
Plan Botnplata 2/2

MKV:	1:50	DAGS:	19/12/16
------	------	-------	----------

TEKNI-NR.: C50.104
SAMP. NÚM.: 2405654399

1. hæð 2/2 1:50

